Marchio / Brand ZUCCHETTI

Classe / Class DOCCE

SHOWER

Z94263.X Soffione Ø 200 mm. / Ø 200 mm shower head.

WATER SAVING



Soffione Ø 200 mm in acciao inox AISI 316L. A getto fisso con sistema anticalcare, spessore 14 mm. Ispezionabile.
Water Saving - portata d'acqua uguale o inferiore a 9 l/min.

Ø 200 mm AISI 316L stainless steel shower head, with anti-limescale system. 14 mm thickness. Inspectionable.
Water Saving - water flow rate of 9 l/min or less.

Marchio / Brand ZUCCHETTI

Classe / Class DOCCE

SHOWER

Z94263.X

Finiture / Finishes



X

Acciaio inox spazzolato / Brushed stainless steel



XP21

Brushed PVD chocolate / Brushed PVD chocolate



XP31

Brushed PVD British gold / Brushed PVD British gold



XP41

Brushed PVD gold / Brushed PVD gold



XP81

PVD Brushed Total Black / PVD Brushed Total Black



XP91

Brushed PVD copper / Brushed PVD copper



XS

Acciaio inox matt / Matt stainless steel



XSP21

Matt PVD chocolate / Matt PVD chocolate



XSP31

Matt PVD British gold / Matt PVD British gold



XSP41

Matt PVD gold / Matt PVD gold



XSP81

Matt PVD total black / Matt PVD total black



XSP91

Matt PVD copper / Matt PVD copper

Note / Notes

SHOWER

Z94263.X Disegno Complessivo / Overall Drawing



SHOWER

Z94263.X Portate / Flowrates (lt/min)

PRESSIONE PRESSURE	1 BAR	2 BAR	3 BAR	4 BAR	5 BAR
P1 SOFFIONE SHOWER HEAD	**7,9**	**8,4**	**8,6**	**8,8**	**9**
P2					
P3					
P4					
P5					



SHOWER

Z94263.X Pesi e Misure / Weights and Sizes

Peso (Kg) Weight (lb)	1,20 (Kg)	2,65 (lb)
Volume test (dc3) - (in3)	3,80 (dc3)	231,89 (in3)
h (mm) - (in)	70,00 (mm)	2,76 (in)
L1 (mm) - (in)	230,00 (mm)	9,06 (in)
L2 (mm) - (in)	240,00 (mm)	9,45 (in)

